

Product data

Rev.No.1/5009

Description

PURAMEX[®] FE

PURAMEX FE is the iron (II) salt of natural L(+)-lactic acid, which is produced by fermentation from sugar.

Specification

Product	ferrous lactate
Form	powder
Iron identification (FCC test)	passes test
Lactate identification (FCC test)	passes test
Iron-II	20-21%
Iron-III	max. 0.2%
Assay Iron-II-lactate (anhydrous)	98.0-100.5%
Stereochemical purity (L-isomer)	min. 96%
Optical (specific) rotation $[\alpha]_D^{20}$	(+6.0) – (+11.0)
pH (2g product + 98g water)	4.6-6.0
Loss on drying	12.0-14.0%
Heavy metals total	max. 50 ppm
Arsenic	max. 2 ppm
Lead	max. 1 ppm
Mercury	max. 1 ppm
Cadmium	max. 1 ppm
Sulphate	max. 1000 ppm
Chloride	max. 500 ppm
Oxalic acid	passes test (FCC)
Foreign acids (citric- and tartaric acid)	no reaction with lead acetate
Volatile fatty acids	no odour if 1 g warmed with sulphuric acid
Mesophilic bacteria	max. 1000 counts/g
Moulds	max. 100 counts/g
Yeasts	max. 100 counts/g
Molecular formula	Fe-(CH ₃ CHOHCOO)2.2H ₂ O
Molecular weight	234 (anhydrous)
Chemical name	Iron(II)-L-2-hydroxy-propionate
CAS number	85993-25-5
EEC Additive number	E 585
USA	GRAS
Complies with	FCC, EUSFA

Physical-chemical properties

Registration

Copyright © PURAC. All rights reserved. No part of this publication may be copied, downloaded, reproduced, stored in a retrieval system or transmitted in any form by any means, electronic, mechanical, photocopied, recorded or otherwise, without permission of the publisher. No representation or warranty is made as to the truth or accuracy of any data, information or opinions contained herein or as to their suitability for any purpose, condition or application. None of the data, information or opinions contained herein may be relied upon for any purpose or reason. PURAC disclaims any liability, damages, losses or other consequences suffered or incurred in connection with the use of the data, information or opinions contained herein. In addition, nothing contained herein shall be construed as a recommendation to use any products in conflict with existing patents covering any material or its use.

For further information:

<http://www.purac.com/>

Page 1 of 1